



## Jacquère B



### Name of vine variety in France

Jacquère

### Origin

This vine variety native to the Savoie region is, based on published genetic analyses, probably a descendant of Gouais B.

### Synonymy

No synonym is officially recognized in France for this variety, nor in other countries in the European Union.

### Regulations

In France, Jacquère B is officially listed in the "Catalogue of vine varieties".

This variety is likewise listed in the Catalogue du Portugal.

### Use

Wine vine variety

### Evolution of area under vines in France

|    | 1958 | 1968 | 1979 | 1988 | 1998 | 2008 | 2016 |
|----|------|------|------|------|------|------|------|
| ha | 1362 | 1491 | 855  | 995  | 1104 | 1079 | 922  |

### Description

Identificationsigns include:

- the tip of the young shoots has a heavy coat of flat-lying hairs,
- the young leaves are green with bronze patches,
- adult leaves have 3 or 5 lobes with an open V-shaped petiolar sinus, long teeth compared to width at base, straight sides, moderate to heavy anthocyanin pigmentation of veins, an upturned leaf blade and the underside with a slight coat of flat-lying hairs,
- round-shaped berries.

## Genetic profile

| Microsatellite | VVS2 | VVMD5 | VVMD7 | VVMD27 | VRZAG62 | VRZAG79 | VVMD25 | VVMD28 | VVMD32 |
|----------------|------|-------|-------|--------|---------|---------|--------|--------|--------|
| Allel 1        | 131  | 223   | 239   | 176    | 196     | 244     | 240    | 227    | 239    |
| Allel 2        | 141  | 232   | 249   | 178    | 204     | 252     | 254    | 245    | 271    |

## Phenology

Bud burst: 1 day after Chasselas.

Grape maturity: period II, 3 weeks after Chasselas.

## Suitability for cultivation and agronomic production

Jacquère B is fairly fertile, regularly productive with moderate vigor. Preference should be given to short pruning. Jacquère B is well adapted to clay limestone and rocky scree terroirs.

## Sensitivity to diseases and pests

This vine variety is susceptible to black-rot and grey rot but resists well against downy and powdery mildew.

## Technological potential

Grape clusters and berries are moderate in size. Jacquère B produces pale, light (delicate floral), lively (acid, but with pleasant freshness), oftentimes 'perlants' wines to be consumed quickly.





## Clonal selection in France

The 5 approved Jacquère B clones carry the numbers 569, 658, 769, 788 and 923.

## Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi.
- Documentation interne du Domaine de Vassal. 1949-2011, INRA, Marseillan-plage.
- Cépages et vignobles de France, tome 2. P. Galet, 1990, Ed. Dehan, Montpellier.
- Ampélographie. P. Viala et V. Vermorel, 1902-1910, Ed. Masson, Paris.

## Description of clones approved in France

| Clone number  | Identity and availability |           | Agronomic data |                  | Technical data |                                       |
|---|---------------------------|-----------|----------------|------------------|----------------|---------------------------------------|
|   | Origin                    | Selection | Fertility      | Production level | Sugar content  | Potential color                       |
| 569   | Savoie                    | ENTAV     | medium         | medium           | medium         |                                       |
|   | 1978                      | Savoie    | medium         |                  | medium         |                                       |
|   | 0.14 ha                   |           | medium         | medium           |                | distinctive wines of the vine variety |
| ENTAV  |                           |           |                |                  |                |                                       |
| 658   | Savoie                    | ENTAV     | medium to high | medium to high   | medium         |                                       |
|   | 1980                      | Savoie    | medium         |                  | medium         |                                       |
|   | 0.10 ha                   |           | medium         | medium           |                | distinctive wines of the vine variety |
| ENTAV  |                           |           |                |                  |                |                                       |
| 769   | Savoie                    | ENTAV     | low to medium  | medium           | medium         |                                       |
|   | 1981                      | Savoie    | medium         |                  | medium         |                                       |
|   | 0.10 ha                   |           | medium         | medium to high   |                | distinctive wines of the vine variety |
| ENTAV  |                           |           |                |                  |                |                                       |
| 788   | Savoie                    | ENTAV     | medium         | medium to high   | medium         |                                       |
|   | 1984                      | Savoie    | medium to high |                  | medium         |                                       |
|   | 0.10 ha                   |           | medium         | low to medium    |                | distinctive wines of the vine variety |
| ENTAV  |                           |           |                |                  |                |                                       |

| Clone number | Identity and availability   |                             | Agronomic data                 |                                | Technical data            |                                       |
|--------------|-----------------------------|-----------------------------|--------------------------------|--------------------------------|---------------------------|---------------------------------------|
|              | <i>Origin</i>               | <i>Selection</i>            | <i>Fertility</i>               | <i>Production level</i>        | <i>Sugar content</i>      | <i>Potential color</i>                |
|              | <i>Year approved</i>        | <i>Agronomic references</i> | <i>Weight of grape bunches</i> | <i>Vigor</i>                   | <i>Total acidity</i>      | <i>Tannic structure</i>               |
|              | <i>Growing surface area</i> |                             | <i>Size of berries</i>         | <i>Sensitivity to Botrytis</i> | <i>Aromatic intensity</i> | <i>Oenological aptitudes</i>          |
| 923          | Savoie                      | ENTAV                       | low to medium                  | medium                         | medium                    |                                       |
|              | 1988                        | Savoie                      | medium                         |                                | medium                    |                                       |
|              |                             |                             | medium                         |                                |                           | distinctive wines of the vine variety |

ENTAV  INRA®



Cette œuvre est mise à disposition selon les termes de la [Licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions 4.0 International](https://creativecommons.org/licenses/by-nc-sa/4.0/)

