



Mondeuse blanche B



Name of vine variety in France

Mondeuse blanche

Origin

This vine variety is originally from the Savoie region and it does not correspond to the white mutation of Mondeuse N. It is a distinct vine variety.

Synonymy

Regulations

In France, Mondeuse blanche B is officially listed in the "Catalogue of vine varieties".

Use

Wine vine variety

Evolution of area under vines in France

	1958	1979	1988	1998	2008	2016
ha	1	21	7	5	6	7.2

Description

Identification signs include:

- the tip of the young shoot has a moderate coat of flat-lying hairs,
- young bronze leaves,
- adult leaves are light green of average size, orbicular with 5 lobes with an open petiolar sinus with a U-shaped base; lateral sinuosity with a V-shaped base, long teeth compared to width at base, convex sides, an absence of anthocyanin coloration of veins; slightly bubbled leaf blade and the underside with an absence or very slight coat of upright and flat-lying hairs,
- round-shaped berries.

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allel 1	131	225	239	186	188	252	240	216	239
Allel 2	149	229	260	188	194	260	262	257	261

Phenology

Bud burst: 5 days after Chasselas.
Grape maturity: period III, 4 weeks after Chasselas.

Suitability for cultivation and agronomic production

Mondeuse blanche B is a trailing vine variety.

Sensitivity to diseases and pests

This vine variety is not very susceptible to grey rot.

Technological potential

Grape clusters and berries are moderate in size. Mondeuse blanche B produces ordinary, fairly alcoholic (good sugar accumulation potential) and moderately acid wine.

Clonal selection in France

There are no approved clones for this variety at the present time.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi.
- Documentation interne du Domaine de Vassal. 1949-2011, INRA, Marseillan-plage.
- Cépages et vignobles de France, tome 1. P. Galet, 1990, Ed. Dehan, Montpellier.
- Ampélographie. P. Viala et V. Vermorel, 1902-1910, Ed. Masson, Paris.

Description of clones approved in France

Clone number	Identity and availability		Agronomic data		Technical data	
	Origin	Selection	Fertility	Production level	Sugar content	Potential color
	Year approved	Agronomic references	Weight of grape bunches	Vigor	Total acidity	Tannic structure
	Growing surface area		Size of berries	Sensitivity to Botrytis	Aromatic intensity	Oenological aptitudes
1214	Savoie	IFV				
	2014	Languedoc-Roussillon				distinctive wines of the vine variety

ENTAV 



Cette œuvre est mise à disposition selon les termes de la [Licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions 4.0 International](https://creativecommons.org/licenses/by-nc-sa/4.0/)

