



Terret noir N



Name of vine variety in France

Terret noir

Origin

Terret noir N is originally from the Languedoc region.

Synonymy

Regulations

In France, Terret noir N is officially listed in the "Catalogue of vine varieties".

Use

Wine vine variety

Evolution of area under vines in France

	1958	1968	1979	1988	1998	2008	2016
ha	131	151	1149	808	623	273	69

Description

Identification signs include:

- the tip of the young shoot has a dense coat of flat-lying hairs,
- the young leaves are green or yellow with bronze patches,
- adult leaves are 3-lobed with a slightly open or closed petiole sinus with overlapping lobes, U-shaped lateral sinuses with overlapping lobes; moderate teeth with straight or convex sides; absence of anthocyanin coloration of veins; flat leaf blade and on the underside with a moderate coat of upright and flat-lying hairs,
- round-shaped or slightly elliptical-shaped berries.

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allel 1	131	223	243	176	188	252	238	257	239

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allel 2	131	223	247	182	204	252	240	257	239

Phenology

Bud burst: 9 days after Chasselas.
Grape maturity: period III, 4 and 1/2 weeks after Chasselas.

Suitability for cultivation and agronomic production

Terret noir N is grows erect and is well adapted to gobelet or cordon training systems.

Sensitivity to diseases and pests

Terret noir N is rather sensitive to downy mildew and powdery mildew.

Technological potential

The grape clusters are large and the berries are moderate in size. Terret noir N produces light, not very alcoholic and not very colorful wines.

Clonal selection in France

The only approved Terret noir N clone carries the number 1084.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi.
- Documentation interne du Domaine de Vassal. 1949-2011, INRA, Marseillan-plage.
- Cépages et vignobles de France, tome 1. P. Galet, 1990, Ed. Dehan, Montpellier.
- Ampélographie. P. Viala et V. Vermorel, 1902-1910, Ed. Masson, Paris.

Description of clones approved in France

Clone number	Identity and availability		Agronomic data		Technical data	
	Origin	Selection	Fertility	Production level	Sugar content	Potential color
	Year approved	Agronomic references	Weight of grape bunches	Vigor	Total acidity	Tannic structure
	Growing surface area		Size of berries	Sensitivity to Botrytis	Aromatic intensity	Oenological aptitudes
1084	Hérault	ENTAV	medium	medium	medium	
	2004	Domaine de l'Espiguette Languedoc	low		medium	
			low to medium			distinctive wines of the vine variety

ENTAV  INRA[®]



Cette œuvre est mise à disposition selon les termes de la [Licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions 4.0 International](https://creativecommons.org/licenses/by-nc-sa/4.0/)

