



Viognier B



Name of the variety in France

Viognier

Origin

This is a native variety from the northern part of the Côtes du Rhône.

Synonyms

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.

Legal information

In France, Viognier is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Croatia, Greece, Italy, Malta, Portugal and Spain.

Use

Wine grape variety.

Evolution of cultivated areas in France

	1958	1968	1979	1988	1998	2008	2018
ha	29	14	54	82	2100	3255	6740

Descriptive elements

The identification is based on:

- the tip of the young shoot with a medium to high density of prostate hairs,
- the green young leaves with slightly bronze spots,
- the small to medium, circular, light to medium green adult leaves, with three or five lobes, with shallow lower lateral sinuses, an open or slightly open petiole sinus, medium teeth with straight or convex sides or with one side convex and one side concave, no anthocyanin coloration of veins, a blistered leaf blade, curly on the edges, and on the lower side on the leaves, a low to medium density of erect and prostate hairs,
- the round-shaped berries.

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allel 1	131	223	239	182	188	252	238	216	261
Allel 2	137	229	249	188	200	252	240	243	271

Phenology

Bud burst: same as Chasselas.

Grape maturity: mid-season, 2 weeks and a half after Chasselas.

Suitability for cultivation and agronomic production

This variety is usually trained (it is sometimes sensitive to the wind), pruned moderately long and with a fairly high planting density. Traditionally grown in acidic terroirs, this variety is well adapted to sufficiently deep soils (but not too fertile) in southern areas, to avoid the risk of drought. Its early budburst exposes it to spring frosts.

Susceptibility to diseases and pests

Viognier does not seem particularly sensitive to diseases.

Technological potentiality

The bunches are small and compact. The berries are also small. Under favorable conditions, the varietal characteristics of Viognier allows for the production of very aromatic (abricot, peach, etc.), complex and powerful good quality wines. Viognier gives warm wines (high sugar accumulation potential): full-bodied but lacking a bit of acidity and occasionally presenting a slight bitterness. It can also be used to produce sweet or sparkling wines or blended (5, 10 % or more) with other grapes (particularly Syrah) to add finesse and aromas to red wines.

Clonal selection in France

The three certified Viognier clones carry the numbers 642, 1042 and 1051. A conservatory of 60 or so clones was planted in the wine-growing region of Condrieu (French department of Rhône) in 2002.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Montpellier SupAgro, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

Description of clones certified in France

Clone no.	Identity and availability		Agronomic data		Technological data	
	Origin	Selection	Fertility	Production level	Sugar level	Color potential
	Year of certification	Agronomic references	Bunch weight	Vigor	Titrate acidity	Tannic structure
	Surface area used for propagation (year)		Berry size	Susceptibility to grey rot	Aromatic intensity	Oenological suitability
642	Rhône	ENTAV	high	high	low to medium	
	1979	Rhône-Valley	high		medium	
	17.54 ha		medium to high			representative wines of the variety
1042	Ardèche	CA 07 - ENTAV	medium	low	medium to high	
	2002	Rhône-Valley	low		medium to high	
	0.21 ha		medium			aromatic and well-balanced wines with good volume on the palate
1051	Loire	CA 07 - ENTAV	medium	medium	medium	
	2003	Rhône-Valley	medium		medium	

ENTAV  INRA®

ENTAV  INRA®

Clone no.	Identity and availability		Agronomic data		Technological data	
	<i>Origin</i>	<i>Selection</i>	<i>Fertility</i>	<i>Production level</i>	<i>Sugar level</i>	<i>Color potential</i>
	<i>Year of certification</i>	<i>Agronomic references</i>	<i>Bunch weight</i>	<i>Vigor</i>	<i>Titration acidity</i>	<i>Tannic structure</i>
	<i>Surface area used for propagation (year)</i>		<i>Berry size</i>	<i>Susceptibility to grey rot</i>	<i>Aromatic intensity</i>	<i>Oenological suitability</i>
0.10 ha		medium			aromatic and well-balanced wines with good volume on the palate	

ENTAV  INRA®



Cette œuvre est mise à disposition selon les termes de la [Licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions 4.0 International](https://creativecommons.org/licenses/by-nc-sa/4.0/)

