



Oeillade noire N



Name of the variety in France

Oeillade noire

Origin

This variety is completely distinct from Cinsaut, with which it is sometimes confused, and is originally from the south of France.

Synonyms

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.


Legal information

In France, Oeillade noire is officially listed in the "Catalogue of vine varieties" on the A list but is not yet classified.

Use

Wine and table grape variety.

Evolution of cultivated areas in France



Descriptive elements

The identification is based on:

- the tip of the young shoot with a high density of prostate hairs,
- the green young leaves with bronze spots,
- the circular or pentagonal adult leaves, with three or five lobes, shallow lower lateral sinues, a U-shaped petiole sinus with overlapping lobes, large teeth, moderately long compared to their width at the base with straight sides, a weak to moderate anthocyanin coloration of veins, a twisted, finely blistered and sometimes goffered leaf blade, and on the lower side of the leaves, a medium to high density of erect hairs and a low to medium density of prostate hairs,
- broad ellipsoid berries.

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allel 1	131	223	243	176	188	256	238	227	239
Allel 2	131	236	249	178	204	260	248	233	239

Phenology

Bud burst: 9 days after Chasselas.
Grape maturity: mid-season, 3 weeks after Chasselas.

Suitability for cultivation and agronomic production

Oeillade noire is moderately vigorous, has an erect bearing and must be managed by short pruning. It is sometimes susceptible to coulure and millerandage.

Susceptibility to diseases and pests

Oeillade noire is susceptible to vine leafhoppers and grey rot.

Technological potentiality

The bunches are medium to large with moderately compact. The berries are also medium to large in size, simple-flavored with a thin skin and a juicy pulp. When vinified, Oeillade noire produces light and not very colored wines.

Clonal selection in France

The only certified Oeillade noire clone carries the number 1176. A conservatory of ten or so clones was planted in the French department of Aude in 2010.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Montpellier SupAgro, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

Description of clones certified in France

Clone no.	Identity and availability		Agronomic data		Technological data	
	Origin	Selection	Fertility	Production level	Sugar level	Color potential
	Year of certification	Agronomic references	Bunch weight	Vigor	Titriable acidity	Tannic structure
	Surface area used for propagation (year)		Berry size	Susceptibility to grey rot	Aromatic intensity	Oenological suitability
1176	Hérault 2011	IFV				

ENTAV  INRAE®



Cette œuvre est mise à disposition selon les termes de la [Licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions 4.0 International](https://creativecommons.org/licenses/by-nc-sa/4.0/)